

Message

From: Davis, Katherine L [katherine.l.davis@aecom.com]
Sent: 9/21/2020 12:39:04 PM
To: Wilson, Jennifer [wilson.jenniferA@epa.gov]; HARTTEN, ANDREW S [Andrew.S.Hartten@chemours.com]; Reinhart, Roger [Reinhart.Roger@epa.gov]; Rowsey, Kevin [rowsey.kevin@epa.gov]; Zedella, Leah [Zedella.Leah@epa.gov]
Subject: RE: Additional Sampling E-mail Attempt Two - Part Two Is Attached

Thanks Jenny. I received all three emails and will take a look this morning and get back to you with any questions.

Kathy

Katherine L. Davis, PhD
PFAS Technical Lead
Principal Geologist, Philly Metro Area
D 1-302-781-5890
C Ex. 6 Personal Privacy (PP)
Katherine.L.Davis@aecom.com

From: Wilson, Jennifer <wilson.jenniferA@epa.gov>
Sent: Sunday, September 20, 2020 12:20 AM
To: Davis, Katherine L <katherine.l.davis@aecom.com>; HARTTEN, ANDREW S <Andrew.S.Hartten@chemours.com>; Reinhart, Roger <Reinhart.Roger@epa.gov>; Rowsey, Kevin <rowsey.kevin@epa.gov>; Zedella, Leah <Zedella.Leah@epa.gov>
Subject: [EXTERNAL] RE: Additional Sampling E-mail Attempt Two - Part Two Is Attached

Hi Kathy,

Part 3 is attached and the other items that I have not highlighted on maps are bulleted below.

Have a good weekend,
Jenny

Area A

- North of the Muskingum River – north of the pink stars as long as that area is not on Lowell's PWS. For example, is all of Water Street on Lowell's system?
- Muskingum Township – south of samples 699, 680 and 875. There are some streets there.

Area D

- To the right of 772 (0.49) and 802 (0.10) – D4 Phase 2. Kathy thought this area may have public water.
- Northern central of D – could use more samples above the pink star (north of 776 (.11) and 807 (0.12))
- Central corner area – could use some more samples (937 (0.24))
- Southeastern part of area D – need some more results to the east – (811 (0.099) and 759 (0.074))
- Go west of 827 (pink star – 0.13) and between 752 (0.082)
- Southwestern and southern part of Area D -there aren't many samples – may some sampling be done there?

From: Wilson, Jennifer
Sent: Saturday, September 19, 2020 10:47 PM
To: Davis, Katherine L <katherine.l.davis@aecom.com>; HARTTEN, ANDREW S <Andrew.S.Hartten@chemours.com>; Reinhart, Roger <Reinhart.Roger@epa.gov>; Rowsey, Kevin <rowsey.kevin@epa.gov>; Zedella, Leah <Zedella.Leah@epa.gov>
Subject: RE: Additional Sampling E-mail Attempt Two - Part Two Is Attached

Hi Kathy,

Part 2 is attached. I am hoping the rest will fit in one more attachment.

From: Wilson, Jennifer

Sent: Saturday, September 19, 2020 10:22 PM

To: Davis, Katherine L <katherine.l.davis@aecom.com>; HARTTEN, ANDREW S <Andrew.S.Hartten@chemours.com>; Reinhart, Roger <Reinhart.Roger@epa.gov>; Rowsey, Kevin <rowsey.kevin@epa.gov>; Zedella, Leah <Zedella.Leah@epa.gov>

Subject: Additional Sampling E-mail Attempt Two

Hi Kathy,

I am trying to send you the e-mails that didn't go through before. I am pasting the e-mail below that was attached to what I sent before. I am going to have to send the attachment in three parts because I believe we can only send 20 MB at a time.

Have a good weekend,
Jenny

Hi Kathy,

I am attaching some maps of where I am interested in having more sampling done. The file is 50 MB, so please let me know if you receive it. I did not highlight all the roads in the area because it was taking me a while to do the highlights. Thus, I highlighted some roads to give you a general area. Fo

Ex. 5 Deliberative Process (DP)

Ex. 5 Deliberative Process (DP)

You might have already sent letters to some of these streets. It was taking me too long to determine that based on the map and I figured I would just send this to you, and you can tell me where you have already sent letters.

Also, I am interested in sampling Coolville Ohio's PWS. It has PWS ID OH0500603. You will see the Coolville area in the maps I am attaching.

Roger and I were wondering, and you don't need to send this later this week, we can wait a few weeks for it, if we could have a new comprehensive spreadsheet of nonresponsive residents.

Finally, I have to edit the bullets I wrote for our meeting to reflect the information you, Ali, and Andrew provided. I will send the updated bullets later this week, but I wanted to get the attached maps to you, so you and Ali could have time to look at them.

Thank you and have a good evening,
Jenny

Jennifer Wilson, P.E.
Environmental Engineer, Water Enforcement and Compliance Assurance Branch
U.S. EPA Region 5
ECW-15J
77 West Jackson Blvd.
Chicago, IL 60604

e-mail: wilson.jennifera@epa.gov

Phone: (312)353-3115

Fax: (312)697-2751

This email may contain deliberative, attorney-client, attorney work product, or otherwise privileged material. Do not release under FOIA without appropriate review. If this email has been received by you in error, you are instructed to delete it from your machine and all storage media whether electronic or hard copy.